Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	) 0	Cisco.as. and ((event or alarm) with augment\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 08:08
(12)	1	"clemm, alexander".in. and "dini, petre".in. and "shen, fong".in. and "sridar, raji".in. and "tayi, apparao". in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 08:43
L3	58	"clemm, alexander".in. or "dini, petre".in. or "shen, fong".in. or "sridar, raji".in. or "tayi, apparao".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 08:09
(L4	5	("clemm, alexander".in. or "dini, petre".in. or "shen, fong".in. or "sridar, raji".in. or "tayi, apparao".in. ) and ((event or alarm) with network).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 08:09
L5	359	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (SNMP with alarm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 08:44
(L6)	34	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (SNMP with alarm) and (alarm with (origin\$4 or source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 08:44
S1	2	"6763384".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 09:52
(\$2	10	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (detect\$3 near3 (event or alarm)) and (unique\$4 near4 identif\$7 near4 (device or source or computer or generator) near3 alarm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 10:02
(S5)	17	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (detect\$3 near3 (event or alarm)) same NAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 17:24

S6	1560	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (detect\$3 near4 (event or alarm) near4 (source or origin\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	AND .	ON	2007/06/13 10:13
S7	18	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (detect\$3 near4 (event or alarm) near4 (source or origin\$6)) and 709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 10:55
(S8)	2	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (detect\$3 near4 (event or alarm) near4 (source or origin\$6)) and 709/224.ccls. and (NAT or "network address translation")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 10:56
510	6	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (detect\$3 near4 (event or alarm) near4 (source or origin\$6)) and 709/224.ccls. and ((source or origin\$6) near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 11:20
S11	346	(@py<"2004" or @rlad<"2004" or @ay<"2004") and ((detect\$4 or determin\$5)(event or alarm) near4 (source or origin\$6)) and 709/224. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 11:23
S12	12	(@py<"2004" or @rlad<"2004" or @ay<"2004") and ((detect\$4 or determin\$5) near5 (event or alarm) near4 (source or origin\$6)) and 709/224.ccls. and (identif\$5 near3 (device or computer or originator or source) near3 (event or alarm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 12:20
513	. 2	"6496476".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 12:19
514)		"6094682".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 12:19
S15	275	(@py<"2004" or @rlad<"2004" or @ay<"2004") and 709/224.ccls. and (monitor\$4 near4 site)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 12:21

S16	9	(@py<"2004" or @rlad<"2004" or @ay<"2004") and 709/224.ccls. and VarBind	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 12:23
S17	7	(@py<"2004" or @rlad<"2004" or @ay<"2004") and 709/224.ccls. and VarBind and SNMP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:28
S18	1	(@py<"2004" or @rlad<"2004" or @ay<"2004") and 709/224.ccls. and VarBind and SNMP and (edge adj router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 12:24
S19	17	(US-20060168190-\$ or US-20050114495-\$ or US-20040260763-\$ or US-20020124090-\$ or US-20030105856-\$ or US-20040044912-\$ or US-20020156882-\$).did. or (US-6763384-\$ or US-6985920-\$ or US-6832341-\$ or US-6529954-\$ or US-6230198-\$ or US-6185613-\$ or US-6496476-\$ or US-6094682-\$ or US-6985901-\$ or US-6571285-\$). did.	US-PGPUB; USPAT	AND	ON	2007/06/13 13:01
(S20	15	S19 and (geographic\$5 or location or NAT or VarBind or "edge router" or (table near2 map\$5))	US-PGPUB; USPAT	AND	о́и	2007/06/13 13:02
S21	39	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (network near2 (event or alarm)) with geographic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:32
<b>S22</b>	) 4	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (network near2 (event or alarm)) with geographic\$4 and 709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:42
623	1	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (network near2 (event or alarm)) with (edge adj router) and 709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:44
S24	1828	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:45

					·	
S25	83	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router) same (alarm or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:45
S26	36	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router) with (alarm or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:45
(527)	11	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router) with (alarm or event) and "709"/\$3. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:47
528	24	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router) same (alarm or event) and "709"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:52
S29	0	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router) same ((alarm or event) with notif\$8) and "709"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:48
S30	0	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router) same ((alarm or event) with (notif\$8 or alert\$4)) and "709"/\$3. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 13:48
S31	111	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router) and ((alarm or event) near4 (detect\$5 or process\$4 or receiv\$4)) and "709"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 14:01
(\$32)	22	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (edge adj router) and ((alarm or event) near4 (detect\$5 or process\$4 or receiv\$4)) and 709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 14:15
S33	_ 29	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (map\$4 near4 table) same (edge adj router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:31
S34	2087	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (map\$4 near4 table) with (identification or identify or identifying)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 14:20

			LASI Scare				
	S35	1666	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (map\$4 near2 table) with (identification or identify or identifying)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 14:20
	\$36	) 6	(@py<"2004" or @rlad<"2004" or @ay<"2004") and ((map\$4 near2 table) with (identification or identify or identifying)) and ((edge adj router) with (identification or identify or identifying))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 14:24
	S37	22	(@py<"2004" or @rlad<"2004" or @ay<"2004") and ((edge adj router) with address with identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 14:25
	S38	0	("2002/0156882").URPN.	USPAT	AND	ON	2007/06/13 14:54
	(339)	1	"6425008".pn.	USPAT	AND <sub>.</sub>	ON	2007/06/13 14:54
1	S40	1	"6978265".pn.	USPAT	AND	ON	2007/06/13 14:54
يونون موساديون المهاول بياساديد في	<del>\$4</del> 1	48	(@py<"2004" or @rlad<"2004" or @ay<"2004") and "709"/\$3.ccls. and AIC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:32
	S42	1	(@py<"2004" or @rlad<"2004" or @ay<"2004") and "709"/\$3.ccis. and AIC and (default near3 identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:32
	S43	1	(@py<"2004" or @rlad<"2004" or @ay<"2004") and "709"/\$3.ccls. and AIC and (alarm with identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 08:43
	S44)	2	(@py<"2004" or @rlad<"2004" or @ay<"2004") and "709"/\$3.ccls. and AIC and ((alarm or event) with identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:33
	S45	2	(@py<"2004" or @rlad<"2004" or @ay<"2004") and "alarm identification component"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:33
1000	S46	139	(@py<"2004" or @rlad<"2004" or @ay<"2004") and "alarm identification"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:33

		EAST Searc	n nistory			
\$47	10	(@py<"2004" or @rlad<"2004" or @ay<"2004") and "alarm identification" and "709"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:35
(S48)	6	(@py<"2004" or @rlad<"2004" or @ay<"2004") and "alarm identification" and "709"/\$3.ccls. and (default)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 15:36
S49	1	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (alarm adj identif\$8) near5 default	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 16:34
S50	23	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (alarm adj identif\$8) and 709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 16:37
(S51)		(@py<"2004" or @rlad<"2004" or @ay<"2004") and (alarm adj identif\$8) and 709/224.ccls. and (NAT or "network address translation")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/13 16:38
S52	26	(US-20060168190-\$ or US-20050114495-\$ or US-20040260763-\$ or US-20020124090-\$ or US-20030105856-\$ or US-20040044912-\$ or US-20040083305-\$ or US-20040083305-\$ or US-20040255022-\$ or US-20040255022-\$ or US-20030177183-\$ or US-20020152305-\$ or US-20040213224-\$).did. or (US-6763384-\$ or US-6985920-\$ or US-6832341-\$ or US-6529954-\$ or US-630198-\$ or US-6185613-\$ or US-6496476-\$ or US-6571285-\$ or US-6985901-\$ or US-6571285-\$ or US-6978265-\$).did. or	US-PGPUB; USPAT; DERWENT	AND	ON	2007/06/13 16:39
(S53)	7	(WO-2005045691-\$).did. S52 and (NAT or "network address translation")	US-PGPUB; USPAT; DERWENT	AND	ON	2007/06/13 16:39

\$54	11	(@py<"2004" or @rlad<"2004" or @ay<"2004") and (NAT or "network address translation") same alarm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 08:07